INDEX TO VOLUME 37 2002

Index to Authors and Contributors

ADAMS, M. J. *Paper* A numerical and experimental study of the indentation mechanics of plasticine, 141
AKSOGAN, O. *Paper* The dynamic stability of a laminated truncated conical shell with variable elasticity moduli and densities subject to a time-dependent external pressure, 201
ALIABADI, M. H. *Paper* Boundary element analysis of cracked panels with mechanically fastened repair patches, 223
ALTENBACH, H. *Paper* Creep-damage predictions in thin-walled structures by use of isotropic and anisotropic damage models, 265
AVALLE, M. *Paper* Prediction of fold eccentricity in the axial axisymmetric plastic progressive collapse of circular tubes, 1
AYLOTT, C. *Paper* Residual stresses in induction-hardened gear teeth mapped by neutron diffraction, 337

BALUCH, M. H. *Paper* Rational split of the strain tensor in elastoplastic damage mechanics, 117
BELAHCENE, F. *Paper* Determination of residual stress using critically refracted longitudinal waves and immersion mode, 13
BELINGARDI, G. *Paper* Prediction of fold eccentricity in the axial axisymmetric plastic progressive collapse of circular tubes, 1
BERTHIER, Y. *Special Issue Paper* Cracking under fretting fatigue: damage prediction under multiaxial fatigue, 519
BOYLE, J. T. *Paper* Shakedown analysis for complex loading using superposition, 399
BRENNAN, F. P. *Paper* Development of the alternating current stress measurement model for magnetostriction behaviour of mild steel under orthogonal magnetic fields for stress measurement, 21

CAO, Y. P. *Paper* An inverse approach for constructing the residual stress field induced by welding, 345
CARON, I. *Special Issue Paper* Mechanical analysis of coated materials undergoing fretting fatigue in a cryogenic environment, 585
CHEN, J. *Paper* On the wavelet time–frequency analysis algorithm in identification of a cracked rotor, 239
CHOI, J.-B. *Paper* Elastic–plastic analyses for surface cracked plates under combined bending and tension, 33
CIAVARELLA, M. *Special Issue Paper* On stress concentration on nearly flat contacts, 493

DAYMOND, M. R. *Paper* Analysis of neutron diffraction strain measurement data from a round robin sample, 73
de LACERDA, L. A. *Paper* A parametric study of inclusion interaction in particulate- and fibre-reinforced materials using the boundary element technique, 47
DEMELIO, G. P. *Special Issue Paper* On stress concentration on nearly flat contacts, 493
De MONICAULT, J. M. *Special Issue Paper* Mechanical analysis of coated materials undergoing fretting fatigue in a cryogenic environment, 585
DIETRICH, L. *Paper* Analysis of a thermally induced phase transformation strain state for the TiNi shape memory alloy under a complex stress state, 151
DOMÍNGUEZ, J. *Special Issue Paper* Fretting fatigue in a spherical contact, 469
DOVER, W. D. *Paper* Development of the alternating current stress measurement model for magnetostriction behaviour of mild steel under orthogonal magnetic fields for stress measurement, 21
DUBOURG, M.-C. *Special Issue Paper* Cracking under fretting fatigue: damage prediction under multiaxial fatigue, 519
DULIEU-BARTON, J. M. *Paper* Identification of the sources of non-adiabatic behaviour for practical thermoelastic stress analysis, 59

ELLEUCH, K. *Special Issue Paper* Prediction of crack nucleation under partial slip fretting conditions, 549
EVANS, M. *Paper* The application of a new and robust weighting scheme for establishing theta projection parameters to 1CrMoV rotor steel, 169

FARRIS, T. N. *Special Issue Paper* Numerical analysis of fretting contacts of dissimilar isotropic and anisotropic materials, 503
FENNER, R. T. *Papers* Shape optimization of fillets by the boundary element method, 93. Force field superposition analysis of three-dimensional stress concentrations, 445
FERRO, P. *Paper* A two-term stress function approach to evaluate stress distributions in bonded joints of different geometries, 385
FOK, S. L. *Paper* Analysis of the buckling of long cylindrical shells embedded in an elastic medium using the energy method, 375
FOUVRY, S. *Special Issue Paper* Prediction of crack nucleation under partial slip fretting conditions, 549
FU, D.-h. *Paper* Analysis of displacement and strain field around a bimaterial interfacial region by stress couple theory and experiment, 281
FUENMAYOR, J. *Paper* On the analysis of singular stress fields. Part 1: finite element formulation and application to notches, 437. *Special Issue Paper* Influence of bulk stress on contact conditions and stresses during fretting fatigue, 479
FUKUNAGA, H. *Paper* An inverse approach for constructing the residual stress field induced by welding, 345

GAO, Z. *Technical Note* Small sample theory for reliability design, 87
GARCÍA, M. *Special Issue Paper* Fretting fatigue in a spherical contact, 469
GEORGE, D. *Paper* Measurement of through-thickness stresses using small holes, 125
GRAS, R. *Special Issue Paper* Mechanical analysis of coated materials undergoing fretting fatigue in a cryogenic environment, 585

HAMILTON, R. *Paper* Shakedown analysis for complex loading using superposition, 399
HAN, S. *Paper* Development of the alternating current stress measurement model for magnetostriction behaviour of mild steel under orthogonal magnetic fields for stress measurement, 21
HENSHALL, J. L. *Paper* A parametric study of inclusion interaction in particulate- and fibre-reinforced materials using the boundary element technique, 47
HILLS, D. A. *Papers* Shakedown and plastic modelling of a two-tube problem, 101. Inclined edge cracks in compressive stress fields: determination of mode II stress intensity factors, 163. Solution of the boundary value problem for a kinking crack in a bulk compression field, 361. *Technical Note* The connection between the elastic and plastic components of residual strain and residual stress, 371. *Paper* On the analysis of singular stress fields. Part 1: finite element formulation and application to notches, 437. *Special Issue Paper* An overview of progress in the study of fretting fatigue, 591
HSIEH, M. F. *Paper* Limit loads for knuckle-encroaching nozzles in torispherical heads: experimental verification of finite element predictions, 313
HU, N. *Paper* An inverse approach for constructing the residual stress field induced by welding, 345
HUANG, C. *Paper* Creep-damage predictions in thin-walled structures by use of isotropic and anisotropic damage models, 265
HUANG, Z. *Paper* A numerical and experimental study of the indentation mechanics of plasticine, 141
HYDE, T. H. *Paper* The torsional buckling behaviour of shafts with transverse holes, 247. *Special Issue Paper* An investigation of the fatigue and fretting performance of a representative aero-engine spline coupling, 565

INGLEBERT, G. *Special Issue Paper* Mechanical analysis of coated materials undergoing fretting fatigue in a cryogenic environment, 585
ISHIKAWA, H. *Paper* Evaluation of the fatigue life of a sintered machine element under the sliding/rolling contact condition based on fracture mechanics, 327

JAIN, V. K. *Special Issue Paper* Effects of process variables on fretting fatigue crack initiation in Ti–6Al–4V, 535

© IMechE 2002

JAMES, K. E. *Paper* Residual stresses in induction-hardened gear teeth mapped by neutron difraction, 337
JIN, O. *Special Issue Paper* Effects of process variables on fretting fatigue crack initiation in Ti–6Al–4V, 535
JOHNSON, M. W. *Paper* Analysis of neutron diffraction strain measurement data from a round robin sample, 73

KANG, Y. -l. *Paper* Analysis of displacement and strain field around a bimaterial interfacial region by stress couple theory and experiment, 281
KARI, L. *Paper* An analytical temperature-dependent collocation model for preloaded rubber cylinders, 289
KIM, H. J. *Paper* The thermomechanical stress–strain response of intumescent mat materials through experiments and strain decomposition, 187
KIM, J. S. *Paper* The thermomechanical stress–strain response of intumescent mat materials through experiments and strain decomposition, 187
KIM, Y.-J. *Paper* Elastic–plastic analyses for surface cracked plates under combined bending and tension, 33
KINGSTON, E. *Paper* Measurement of through-thickness stresses using small holes, 125
KNIGHT, M. G. *Paper* A parametric study of inclusion interaction in particulate- and fibre-reinforced materials using the boundary element technique, 47
KORSUNSKY, A. M. *Paper* Residual stresses in induction-hardened gear teeth mapped by neutron diffraction, 337

LAZZARIN, P. *Paper* A two-term stress function approach to evaluate stress distributions in bonded joints of different geometries, 385
LEE, J. K. *Paper* The thermomechanical stress–strain response of intumescent mat materials through experiments and strain decomposition, 187
LEEN, S. B. *Special Issue Paper* An investigation of the fatigue and fretting performance of a representative aero-engine spline coupling, 565
LOUCA, L. A. *Paper* Simplified non-linear analysis of plates subjected to hydrocarbon explosions, 301
LU, J. *Papers* Determination of residual stress using critically refracted longitudinal waves and immersion mode, 13. An inverse approach for constructing the residual stress field induced by welding, 345
LUCAS, M. *Paper* A numerical and experimental study of the indentation mechanics of plasticine, 141

MACINA, G. *Special Issue Paper* On stress concentration on nearly flat contacts, 493
McCOLL, I. R. *Special Issue Paper* An investigation of the fatigue and fretting performance of a representative aero-engine spline coupling, 565
MALL, S. *Special Issue Paper* Effects of process variables on fretting fatigue crack initiation in Ti–6Al–4V, 535
MISTRY, J. *Paper* Limit loads for knuckle-encroaching nozzles in torispherical heads: experimental verification of finite element predictions, 313
MOFFAT, D. G. *Paper* Limit loads for knuckle-encroaching nozzles in torispherical heads: experimental verification of finite element predictions, 313
MORETON, D. N. *Paper* Limit loads for knuckle-encroaching nozzles in torispherical heads: experimental verification of finite element predictions, 313
MUGADU, A. *Paper* On the analysis of singular stress fields. Part 1: finite element formulation and application to notches, 437
MUGADU, M. *Special Issue Paper* An overview of progress in the study of fretting fatigue, 591
MURATA, K. *Paper* A consideration of X-ray circumferential residual stress measurement on cylindrical component surfaces, 427
MUSCAT, M. *Paper* Shakedown analysis for complex loading using superposition, 399

NAMJOSHI, S. A. *Special Issue Paper* Effects of process variables on fretting fatigue crack initiation in Ti–6Al–4V, 535
NAUMENKO, K. *Paper* Creep-damage predictions in thin-walled structures by use of isotropic and anisotropic damage models, 265
NAVARRO, C. *Special Issue Paper* Fretting fatigue in a spherical contact, 469

OGURI, T. *Paper* A consideration of X-ray circumferential residual stress measurement on cylindrical component surfaces, 427
OHUE, Y. *Paper* Evaluation of the fatigue life of a sintered machine element under the sliding/rolling contact condition based on fracture mechanics, 327

PAN, X. -j. *Paper* Analysis of displacement and strain field around a bimaterial interfacial region by stress couple theory and experiment, 281
PARVIZIAN, J. *Paper* Shape optimization of fillets by the boundary element method, 93
PERIDAS, G. *Paper* Shakedown and plastic modelling of a two-tube problem, 101
PORTER, M. I. *Papers* Inclined edge cracks in compressive stress fields: determination of mode II stress intensity factors, 163. Solution of the boundary value problem for a kinking crack in a bulk compression field, 361
PU, Y. P. *Paper* On the wavelet time-frequency analysis algorithm in identification of a cracked rotor, 239

QUARESIMIN, M. *Paper* A two-term stress function approach to evaluate stress distributions in bonded joints of different geometries, 385
QUINN, S. *Paper* Identification of the sources of non-adiabatic behaviour for practical thermoelastic stress analysis, 59

RAJEEV, P. T. *Special Issue Paper* Numerical analysis of fretting contacts of dissimilar isotropic and anisotropic materials, 503
RATSIMBA, C. H. H. *Special Issue Paper* An investigation of the fatigue and fretting performance of a representative aero-engine spline coupling, 565
ROBOTHAM, W. S. *Paper* The torsional buckling behaviour of shafts with transverse holes, 247
RÔDENAS, J. J. *Special Issue Paper* Influence of bulk stress on contact conditions and stresses during fretting fatigue, 479

SATO, Y. *Paper* A consideration of X-ray circumferential residual stress measurement on cylindrical component surfaces, 427
SHAW, B. A. *Paper* Residual stresses in induction-hardened gear teeth mapped by neutron diffraction, 337
SHEN, H.-S. *Paper* Postbuckling of axially loaded shear-deformable laminated cylindrical panels, 413
SHENOI, R. A. *Technical Note* Small sample theory for reliability design, 87
SHIM, D.-J. *Paper* Elastic–plastic analyses for surface cracked plates under combined bending and tension, 33
SIMEON, G. *Special Issue Paper* Prediction of crack nucleation under partial slip fretting conditions, 549
SIVIA, D. S. *Paper* Analysis of neutron diffraction strain measurement data from a round robin sample, 73
SMITH, D. J. *Paper* Measurement of through-thickness stresses using small holes, 125
SOCHA, G. *Paper* Analysis of a thermally induced phase transformation strain state for the TiNi shape memory alloy under a complex stress state, 151
SOFIYEV, A. H. *Paper* The dynamic stability of a laminated truncated conical shell with variable elasticity moduli and densities subject to a time-dependent external pressure, 201
STEPHEN, N. G. *Technical Note* On the continuum properties of repetitive beam-like pin-jointed structures, 459

TAHER, S. E.-D. M. F. *Paper* Rational split of the strain tensor in elastoplastic damage mechanics, 117
TAYLOR, J. W. *Paper* The torsional buckling behaviour of shafts with transverse holes, 247
TUR, M. *Paper* On the analysis of singular stress fields. Part 1: finite element formulation and application to notches, 437. *Special Issue Paper* Influence of bulk stress on contact conditions and stresses during fretting fatigue, 479

UEGAMI, K. *Paper* A consideration of X-ray circumferential residual stress measurement on cylindrical component surfaces, 427

VINCENT, L. *Special Issue Paper* Cracking under fretting fatigue: damage prediction under multiaxial fatigue, 519

© IMechE 2002

WADEE, M. A. *Paper* Simplified non-linear analysis of plates subjected to hydrocarbon explosions, 301
WALTER, M. E. *Paper* The thermomechanical stress–strain response of intumescent mat materials through experiments and strain decomposition, 187
WANG, G.-f. *Paper* Analysis of displacement and strain field around a bimaterial interfacial region by stress couple theory and experiment, 281
WEN, P. H. *Paper* Boundary element analysis of cracked panels with mechanically fastened repair patches, 223
WILLIAMS, E. J. *Paper* The torsional buckling behaviour of shafts with transverse holes, 247. *Special Issue Paper* An investigation of the fatigue and fretting performance of a representative aero-engine spline coupling, 565
WROBEL, L. C. *Paper* A parametric study of inclusion interaction in particulate- and fibre-reinforced materials using the boundary element technique, 47

XIONG, J. *Technical Note* Small sample theory for reliability design, 87

YAO, Z. H. *Paper* An inverse approach for constructing the residual stress field induced by welding, 345
YOSHIDA, A. *Paper* Evaluation of the fatigue life of a sintered machine element under the sliding/rolling contact condition based on fracture mechanics, 327
YOUNG, A. *Paper* Boundary element analysis of cracked panels with mechanically fastened repair patches, 223
YU, S. -w. *Paper* Analysis of displacement and strain field around a bimaterial interfacial region by stress couple theory and experiment, 281

ZHANG, Y. *Technical Note* On the continuum properties of repetitive beam-like pin-jointed structures, 459
ZHONG, P. *Paper* On the wavelet time–frequency analysis algorithm in identification of a cracked rotor, 239
ZHU, W. X. *Paper* Stresses in plates containing fasteners under fastener load and any remote load, 211
ZOU, J. *Paper* On the wavelet time–frequency analysis algorithm in identification of a cracked rotor, 239

Subject Index

A CONSIDERATION OF X-RAY CIRCUMFERENTIAL RESIDUAL STRESS MEASUREMENT ON CYLINDRICAL COMPONENT SURFACES, *Paper*, 427
Aero-engine spline coupling, 565
Algorithm, wavelet time–frequency analysis, 239
Alloy, TiNi shape memory, 151
Alternating current stress measurement model, 21
Analysis:
  boundary element, 223
  elastic–plastic, 33
  force field superposition, 445
  mechanical, 585
  numerical, 503
  of a thermally induced phase transformation strain state, 151
  of displacement and strain field, 281
  of neutron diffraction strain measurement data, 73
  of singular stress fields, 437
  of the buckling of long cylindrical shells, 375
  practical thermoelastic stress, 59
  shakedown, 399
  simplified non-linear, 301
  wavelet time–frequency, 239
ANALYSIS OF A THERMALLY INDUCED PHASE TRANSFORMATION STRAIN STATE FOR THE TiNi SHAPE MEMORY ALLOY UNDER A COMPLEX STRESS STATE, *Paper*, 151
ANALYSIS OF DISPLACEMENT AND STRAIN FIELD AROUND A BIMATERIAL INTERFACIAL REGION BY STRESS COUPLE THEORY AND EXPERIMENT, *Paper*, 281
ANALYSIS OF NEUTRON DIFFRACTION STRAIN MEASUREMENT DATA FROM A ROUND ROBIN SAMPLE, *Paper*, 73
ANALYSIS OF THE BUCKLING OF LONG CYLINDRICAL SHELLS EMBEDDED IN AN ELASTIC MEDIUM USING THE ENERGY METHOD, *Paper*, 375
AN ANALYTICAL TEMPERATURE-DEPENDENT COLLOCATION MODEL FOR PRELOADED RUBBER CYLINDERS, *Paper*, 289
AN INVERSE APPROACH FOR CONSTRUCTING THE RESIDUAL STRESS FIELD INDUCED BY WELDING, *Paper*, 345
AN INVESTIGATION OF THE FATIGUE AND FRETTING PERFORMANCE OF A REPRESENTATIVE AERO-ENGINE SPLINE COUPLING, *Special Issue Paper*, 565
Anisotropic:
  damage model, 265
  materials, 503
AN OVERVIEW OF PROGRESS IN THE STUDY OF FRETTING FATIGUE, *Special Issue Paper*, 591
A NUMERICAL AND EXPERIMENTAL STUDY OF THE INDENTATION MECHANICS OF PLASTICINE, *Paper*, 141
A PARAMETRIC STUDY OF INCLUSION INTERACTION IN PARTICULATE- AND FIBRE-REINFORCED MATERIALS USING THE BOUNDARY ELEMENT TECHNIQUE, *Paper*, 47
A TWO-TERM STRESS FUNCTION APPROACH TO EVALUATE STRESS DISTRIBUTIONS IN BONDED JOINTS OF DIFFERENT GEOMETRIES, *Paper*, 385
Axial axisymmetric plastic, 1
Axially loaded shear-deformable laminated cylindrical panels, 413

Behaviour:
  magnetostriction, 21
  non-adiabatic, 59
  torsional buckling, 247
Bending, 23
Bimaterial interface region, 281
Bonded joints, 385
Boundary element:
  analysis, 223
  method, 93
  technique, 47
BOUNDARY ELEMENT ANALYSIS OF CRACKED PANELS WITH MECHANICALLY FASTENED REPAIR PATCHES, *Paper*, 223
Boundary value problem, 361
Buckling behaviour, torsional, 247
Buckling of long cylindrical shells, analysis of, 375
Bulk compression fluid, 361
Bulk stress, 479

Circumferential residual stress, 427
Collapse, progressive, 1
Complex loading, 399
Complex stress state, 151
Components, elastic and plastic, 371
Compressive stress fields, 163
Concentration, stress, 445, 493
Conical shell, 201
Contact:
  conditions, 479
  fretting, 503
  nearly flat, 493
  sliding/rolling, 327
  spherical, 469
Continuum properties, 459
Coupling, aero-engine spline, 565
Crack:
  fretting fatigue, 535
  inclined edge, 163
  initiation, 535
  kinking, 361

© IMechE 2002

Cracked panels, 223
Cracked rotor, 239
Cracking, 519
CRACKING UNDER FRETTING FATIGUE: DAMAGE PREDICTION UNDER MULTIAXIAL FATIGUE, *Special Issue Paper*, 519
Creep-damage predictions, 265
CREEP-DAMAGE PREDICTIONS IN THIN-WALLED STRUCTURES BY USE OF ISOTROPIC AND ANISOTROPIC DAMAGE MODELS, *Paper*, 265
1 CrMoV rotor steel, 169
Cryogenic environment, 585
Cylinders, preloaded rubber, 289
Cylindrical:
  component surfaces, 427
  panels, 413
  shells, 375

Damage:
  elastoplastic, 117
  prediction, 519
Decomposition, strain, 187
Density, 201
Design, reliability, 87
DETERMINATION OF RESIDUAL STRESS USING CRITICALLY REFRACTED LONGITUDINAL WAVES AND IMMERSION MODE, *Paper*, 13
DEVELOPMENT OF THE ALTERNATING CURRENT STRESS MEASUREMENT MODEL FOR MAGNETOSTRICTION BEHAVIOUR OF MILD STEEL UNDER ORTHOGONAL MAGNETIC FIELDS FOR STRESS MEASUREMENT, *Paper*, 21
Diffraction, neutron, 337
Displacement and strain field, analysis of, 281
Distributions, stress, 385
Dynamic stability, 201

Eccentricity, fold, 1
EFFECTS OF PROCESS VARIABLES ON FRETTING FATIGUE CRACK INITIATION IN Ti–6Al–4V, *Special Issue Paper*, 535
Elastic:
  components, 371
  medium, 375
  – plastic analyses, 33
ELASTIC–PLASTIC ANALYSES FOR SURFACE CRACKED PLATES UNDER COMBINED BENDING AND TENSION, *Paper*, 33
Elastoplastic damage, 117
Element, sintered machine, 327
Environment, cryogenic, 585
EVALUATION OF THE FATIGUE LIFE OF A SINTERED MACHINE ELEMENT UNDER THE SLIDING/ROLLING CONTACT CONDITION BASED ON FRACTURE MECHANICS, *Paper*, 327
Explosions, hydrocarbon, 301

Factor, stress concentration, 259
Fastener load, 211
Fasteners, 211
Fatigue:
  fretting, 469, 479, 519, 535, 585, 591
  life, 327
  multiaxial, 519
  performance, 565
Fibre-reinforced materials, 47
Field:
  bulk compression, 361
  residual stress, 345
  singular stress, 437
Fillets, 93
Finite domains, 259
Finite element:
  formulation, 437
  predictions, 313
Fold eccentricity, 1
Force field superposition analysis, 445
FORCE FIELD SUPERPOSITION ANALYSIS OF THREE-DIMENSIONAL STRESS CONCENTRATIONS, *Paper*, 445
Formulae, simple, 259
Formulation, finite element, 437
Fracture mechanics, 327
Fretting:
  conditions, partial slip, 549
  contacts, 503
  fatigue, 469, 479, 519, 535, 585, 591
  performance, 565
FRETTING FATIGUE IN A SPHERICAL CONTACT, *Special Issue Paper*, 469

Gear teeth, induction-hardened
Geometries, different, 385

Heads, torispherical, 313
Holes:
  small, 125
  transverse, 247
  two- and three-dimensional, 259
Hydrocarbon explosions, 301

IDENTIFICATION OF THE SOURCES OF NON-ADIABATIC BEHAVIOUR FOR PRACTICAL THERMOELASTIC STRESS ANALYSIS, *Paper*, 59
Immersion mode, 13
Inclined edge cracks, 163
INCLINED EDGE CRACKS IN COMPRESSIVE STRESS FIELDS: DETERMINATION OF MODE II STRESS INTENSITY FACTORS, *Paper*, 163
Inclusion interaction, 47
Indentation mechanics, 141
Induction-hardened gear teeth, 337
INFLUENCE OF BULK STRESS ON CONTACT CONDITIONS AND STRESSES DURING FRETTING FATIGUE, *Special Issue Paper*, 479
Intumescent mat materials, 187
Isotropic:
  damage model, 265
  materials, 503

Joints, bonded, 385

Kinking crack, 361
Knuckle-encroaching nozzles, 313

Laminated:
  cylindrical panels, 413
  truncated conical shell, 201
LIMIT LOADS FOR KNUCKLE-ENCROACHING NOZZLES IN TORISPHERICAL HEADS: EXPERIMENTAL VERIFICATION OF FINITE ELEMENT PREDICTIONS, *Paper*, 313
Load:
  fastener, 211
  limit, 313
  remote, 211
Loaded, axially, 413
Loading, complex, 399
Longitudinal waves, critically refracted, 13

Machine, sintered, element, 327
Magnetic fields, 21
Magneto striction behaviour, 21
Materials:
  anisotropic, 503
  coated, 585
  fibre-reinforced, 47
  intumescent mat, 187
  isotropic, 503
  particulate-reinforced, 47
Measurement:
  data, strain, 73
  of through-thickness stresses, 125
  residual stress, 427
MEASUREMENT OF THROUGH-THICKNESS STRESSES USING SMALL HOLES, *Paper*, 125

© IMechE 2002

MECHANICAL ANALYSIS OF COATED MATERIALS UNDERGOING FRETTING FATIGUE IN A CRYOGENIC ENVIRONMENT, *Special Issue Paper*, 585
Mechanically fastened repair patches, 223
Mechanics:
  elastoplastic damage, 117
  fracture, 327
  indentation, 141
Medium, elastic, 375
Memory alloy, TiNi shape, 151
Method:
  boundary element, 93
  energy, 375
Mild steel, 21
Mode:
  immersion, 13
  II stress intensity factors, 163
Model:
  alternating current stress measurement, 21
  analytical temperature-dependent collocation, 289
  isotropic and anisotropic damage, 265
Modelling, plastic, 101
Moduli, variable elasticity, 201

Nearly flat contacts, 493
Neutron diffraction, 337
  strain measurement data, analysis of, 73
Non-adiabatic behaviour, 59
Notches, 437
Nozzles, knuckle-encroaching, 313
Nucleation, crack, 549
Numerical analysis, 503
NUMERICAL ANALYSIS OF FRETTING CONTACTS OF DISSIMILAR ISOTROPIC AND ANISOTROPIC MATERIALS, *Special Issue Paper*, 503

ON STRESS CONCENTRATION ON NEARLY FLAT CONTACTS, *Special Issue Paper*, 493
ON THE ANALYSIS OF SINGULAR STRESS FIELDS. PART 1: FINITE ELEMENT FORMULATION AND APPLICATION TO NOTCHES, *Paper*, 437
ON THE CONTINUUM PROPERTIES OF REPETITIVE BEAM-LIKE PIN-JOINTED STRUCTURES, *Technical Note*, 459
ON THE WAVELET TIME–FREQUENCY ANALYSIS ALGORITHM IN IDENTIFICATION OF A CRACKED ROTOR, *Paper*, 239
Optimization, shape, 93

Panels:
  axially loaded shear-deformable laminated cylindrical, 413
  cracked, 223
Parametric study, 47
Partial slip, 549
Particulate-reinforced materials, 47
Patches, mechanically fastened repair, 223
Pin-jointed structures, 459
Plastic:
  axial axisymmetric, 1
  components, 371
  elastic–, 33
  modelling, 101
Plasticine, 141
Plates:
  stresses in, 211
  subjected to hydrocarbon explosions, 301
  surface cracked, 33
Postbuckling, 413
POSTBUCKLING OF AXIALLY LOADED SHEAR-DEFORMABLE LAMINATED CYLINDRICAL PANELS, *Paper*, 413
PREDICTION OF CRACK NUCLEATION UNDER PARTIAL SLIP FRETTING CONDITIONS, *Special Issue Paper*, 549
PREDICTION OF FOLD ECCENTRICITY IN THE AXIAL AXISYMMETRIC PLASTIC PROGRESSIVE COLLAPSE OF CIRCULAR TUBES, *Paper*, 1
Predictions:
  creep-damage, 265
  finite element, 313
Preloaded rubber cylinders, 289
Pressure, time-dependent external, 201
Problem:
  boundary value, 361
  two-tube, 101
Process variables, 535
Projection parameters, theta, 169
Properties, continuum, 459

Rational split, 117
RATIONAL SPLIT OF THE STRAIN TENSOR IN ELASTOPLASTIC DAMAGE MECHANICS, *Paper*, 117
Refracted, critically, longitudinal waves, 13
Region, bimaterial interfacial, 281
Reliability design, 87
Remote load, 211
Repetitive beam-like pin-jointed structures, 459
Residual:
  strain, 371
  stress, 13, 337, 371
  stress field, 345
  stress measurement, 427
RESIDUAL STRESSES IN INDUCTION-HARDENED GEAR TEETH MAPPED BY NEUTRON DIFFRACTION, *Paper*, 337
Rotor:
  cracked, 239
  steel, 1 CrMoV, 169
Round robin sample, 73
Rubber cylinders, preloaded, 289

Sample:
  round robin, 73
  theory, 87
Shafts, 247
Shakedown, 101
  analysis, 399
SHAKEDOWN ANALYSIS FOR COMPLEX LOADING USING SUPERPOSITION, *Paper*, 399
SHAKEDOWN AND PLASTIC MODELLING OF A TWO-TUBE PROBLEM, *Paper*, 101
Shape optimization, 93
SHAPE OPTIMIZATION OF FILLETS BY THE BOUNDARY ELEMENT METHOD, *Paper*, 93
Shell:
  buckling of long cylindrical, analysis of, 375
  laminated truncated conical, 201
SIMPLE FORMULAE FOR THE STRESS CONCENTRATION FACTOR FOR TWO- AND THREE-DIMENSIONAL HOLES IN FINITE DOMAINS, *Paper*, 259
SIMPLIFIED NON-LINEAR ANALYSIS OF PLATES SUBJECTED TO HYDROCARBON EXPLOSIONS, *Paper*, 301
Singular stress fields, 437
Sintered machine element, 327
SMALL SAMPLE THEORY FOR RELIABILITY DESIGN, *Technical Note*, 87
SOLUTION OF THE BOUNDARY VALUE PROBLEM FOR A KINKING CRACK IN A BULK COMPRESSION FIELD, *Paper*, 361
Spline, aero-engine, coupling, 565
Split, rational, 117
Stability, dynamic, 201
Steel:
  1 CrMoV rotor, 169
  mild, 21
Strain:
  decomposition, 187
  field, 281
  measurement data, 73
  residual, 371
  state, thermally induced phase transformation, 151
  tensor, 117

© IMechE 2002

Stress:
alternating current, measurement model, 21
analysis, practical thermoelastic, 59
bulk, 479
concentration, 493
concentration factor, 259
concentrations, three-dimensional, 445
couple, theory and experiment, 281
distributions, 385
during fretting fatigue, 479
fields, compressive, 163
function approach, two-term, 385
in plates, 211
intensity factors, mode II, 163
residual, 13, 337, 371, 427
residual, field, 345
residual, measurement, 427
state, complex, 151
– strain response, thermomechanical, 187
through-thickness, 125
X-ray circumferential residual, 427
STRESSES IN PLATES CONTAINING FASTENERS UNDER FASTENER LOAD AND ANY REMOTE LOAD, *Paper*, 211
Structures:
repetitive beam-like pin-jointed, 459
thin-walled, 265
Study:
numerical and experimental, 141
parametric, 47
Superposition, 399
force field, analysis, 445
Surface:
cracked plates, 33
cylindrical component, 427

Technique boundary element, 47
Temperature-dependent collocation model, 289
Tension, 33
Tensor, strain, 117
THE APPLICATION OF A NEW AND ROBUST WEIGHTING SCHEME FOR ESTABLISHING THETA PROJECTION PARAMETERS TO 1CrMoV ROTOR STEEL, *Paper*, 169
THE CONNECTION BETWEEN THE ELASTIC AND PLASTIC COMPONENTS OF RESIDUAL STRAIN AND RESIDUAL STRESS, *Technical Note*, 371
THE DYNAMIC STABILITY OF A LAMINATED TRUNCATED CONICAL SHELL WITH VARIABLE ELASTICITY MODULI AND DENSITIES SUBJECT TO A TIME-DEPENDENT EXTERNAL PRESSURE, *Paper*, 201
Theory, small sample, 87
Thermoelastic stress analysis, practical, 59
Thermomechanical stress–strain response, 187
Theta projection parameters, 169
THE THERMOMECHANICAL STRESS–STRAIN RESPONSE OF INTUMESCENT MAT MATERIALS THROUGH EXPERIMENTS AND STRAIN DECOMPOSITION, *Paper*, 187
THE TORSIONAL BUCKLING BEHAVIOUR OF SHAFTS WITH TRANSVERSE HOLES, *Paper*, 247
Thin-walled structures, 265
Three-dimensional stress concentrations, 445
Through-thickness stresses, 125
Ti–6Al–4V, 535
Time-dependent external pressure, 201
TiNi shape memory alloy, 151
Torsional buckling behaviour, 247
Transformation strain state, thermally induced phase, 151
Transverse holes, 247
Tubes:
circular, 1
-two, problem, 101
Two- and three-dimensional holes, 259
Two-term stress function approach, 385
Two-tube problem, 101

Variable elasticity moduli, 201

Wavelet time–frequency analysis algorithm, 239
Waves, critically refracted longitudinal, 13
Weighting scheme, 169
Welding, 345

X-ray circumferential residual stress, 427

© IMechE 2002